41. A computer-implemented method for managing information, the method comprising the steps of:

providing an intermediary gateway device for communicating with network accessible datastores;

receiving a request at the intermediary gateway device to communicate with a particular network accessible datastore having a corresponding network address; and

providing access to the particular network accessible datastore through the intermediary gateway device using a network address that reflects the address corresponding to the particular network addressable datastore and an address of the intermediary gateway device.

42. A computer for managing information, the computer comprising:

a memory having program instructions; and

a processor, responsive to the program instructions, configured to:

provide an intermediary gateway device for communicating with network accessible datastores;

receive a request at the intermediary gateway device to communicate with a particular network accessible datastore having a corresponding network address; and

provide access to the particular network accessible datastore through the intermediary gateway device using a network address that reflects the address corresponding to the particular network addressable datastore and an address of the intermediary gateway device.

43. A computer-readable medium containing instructions for controlling a data processing system to perform a method for managing information, the method comprising the steps of:

providing an intermediary gateway device for communicating with network accessible datastores;

receiving a request at the intermediary gateway device to communicate with a particular network accessible datastore having a corresponding network address; and

providing access to the particular network accessible datastore through the intermediary gateway device using a network address that reflects the address corresponding to the particular network addressable datastore and an address of the intermediary gateway device.

44. An apparatus for managing information, the apparatus comprising:

means for providing an intermediary gateway device for communicating with network accessible datastores;

means for receiving a request at the intermediary gateway device to communicate with a particular network accessible datastore having a corresponding network address; and

means for providing access to the particular network accessible datastore through the intermediary gateway device using a network address that reflects the address corresponding to the particular network addressable datastore and an address of the intermediary gateway device.--